




Right Gall Bladder
Developing flow

Begins 12am
midnight outer
corner of right
eye



Ends 2am
Right Big +
ring toes



F
dispersed
at
umbilicus

Betty J. Wall
8/26/00

RIGHT GALL BLADDER DEVELOPING FUNCTION

At 12 midnight the **left** Umbilicus Developing Flow arrives a quarter inch from the outer corner of the right eye and changes into the **right** Gall Bladder Developing Energy Flow and immediately separates into two flows, "A" and "B".

"A" circles the cheek bone, goes up to the temple from the front of the right ear, circles the ear one quarter inch above the hair line, that is to say, above the ear in a semi-circle, to bottom of ear (round the inside of the bone below the ear); turns toward the back of the head in a semi-circle, ascends in a half circle to the forehead (front); makes three little turns at the inner corner of the eye (in effect drawing a semi-circle) the third time and at back of head (occipital bone) separates into "C" and "D".

"C" flows directly to the hollow of the subclavian area (front of shoulder and arm joint). Turns and descends in front of the shoulder joint, crosses "B", continues to 7th rib where "C", "B" and "D" merge. "C" and "D" become "E" and "F". "B" continues.

"D" from the first thoracic vertebra flows diagonally to the posterior (back) shoulder blade; descends to the hollow of the subclavian area, comes out to the front of the shoulder and crosses with "B" at the 4th rib and descends. It merges (co-mingles) with "B" at the start of the 7th rib, where they immediately branch into "E" and "F".

"E" flows into the stomach.

"F" flows to the umbilicus and disperses.

"B" descends from the cheek bone to anterior (front) shoulder, descending by the 4th rib, and at 7th rib comes together with "C"/"D", then descends to the abdomen. "B" continues to descend through the stomach, spleen, pancreas around left side of the abdomen, to left edge of lumbar 4, then internally in the abdomen circulating the interior pelvis, emerges to side of rectum (anus), crosses to right buttock, descends along lateral (outer) seam-side of right leg and into lateral (outer) ankle bone where it separates into "G" and "H".

"G" from inside of the outer (lateral) ankle, immediately proceeds across the top of the foot (instep) to 4th toe.

"H" flows from lateral (outer) ankle diagonally across top of foot to top of big toe, to top of the nail and changes into the **right** Liver Developing Energy Flow at 2 AM.

[BillieWatkins' observation, looking at an acupuncture diagram.] Right GB "B" energy crosses at center 14 and goes to the pancreas and spleen and to left side of 4th lumbar and into abdomen;

The flow that began at the corner of the right eye crosses at center 14, crosses again in the perineum and ends in the right large and 4th toes. The part that goes to the ring toe comes together with Mediator Flow. Harmonizes front to back and side to side with mediator flow. (Ring toe helps through TV-4 any gaseous conditions in body) The gall bladder flow is the dividing line between the front and back (anterior/posterior) of the body. Main Central is the sagittal cut of the body (sagittal - pertaining to the longitudinal vertical plane that divides the body into left and right halves.)

Gall bladder flow self help

Right flow

Right hand: right side of neck (SEL 12)

Left hand: left forehead (SEL 20)

Left hand: tail bone (coccyx)

Left hand: lateral side of left ankle (SEL 16)

Left hand: under left rib cage (SEL 14)

Left hand: under right rib cage (SEL 14)

Left hand: under right clavicle (SEL 22)